

1.1 INTRODUCTION

Aviation physical standards are developed to ensure the most qualified personnel are accepted and retained by Naval Aviation. Standards differ significantly between applicants and designated personnel and among the different classes of flight duties. Applicant standards are the most rigorous to ensure that the Navy is investing in a candidate that is capable of completing training and remaining a designated Naval aviator in a physically demanding environment. Medical attrites adversely affect manning requirements, fiscal resources, and the member's personal and career development. Designated aviators must meet standards to ensure they and their crew remain safe and able to complete their demanding missions.

1.2 GENERAL REQUIREMENTS

Physical standards are published and maintained in the Manual of the Medical Department (MMD) Chapter 15. All applicants must meet general commissioning and/or enlistment standards in addition to aviation standards. If an applicant does not meet these standards, the applicant has a disqualifying defect and a waiver of standards is required. Designated personnel must remain fit for full duty and continue to meet the aviation standards published in the MMD. Any medical defect, disqualifying diagnosis, or chronic medication use requires a waiver of standards.

1.3 PURPOSE OF THIS GUIDE

The purpose of this guide is to offer the flight surgeon, AVT, and aviator an additional resource to quickly and efficiently look up standards. The Aeromedical Reference and Waiver Guide (ARWG) is NOT an inclusive document but only highlights and gives guidance for the most common diagnoses and standards. The MMD is the proper document to reference for disqualifying conditions and physical standards. Flight surgeons and AVTs should be intimately familiar with the MMD Chapter 15 and it is suggested that they have access to a copy when making Aeromedical dispositions.

1.4 CLASSES OF AVIATION PERSONNEL

Applicants, students, and designated aviation personnel are divided into the following three classes:

Class I: Naval Aviators and Student Naval Aviators (SNA). Designated Naval aviators are subdivided into three Medical Service Groups based upon the physical requirements of their specific flight duty assignment

Medical Service Group 1: Aviators qualified for unlimited or unrestricted flight duties

Medical Service Group 2: Aviators restricted from shipboard aircrew duties (include V/STOL) except helicopter

Medical Service Group 3: Aviators restricted to operating aircraft equipped with dual controls and accompanied on all flights by a pilot or copilot of Medical Service Group 1 or 2,

qualified in the model of aircraft operated. A separate waiver is required to act as pilot-in-command of multi-piloted aircraft

Class II: Aviation personnel other than designated naval aviators or Student Naval Aviators including Naval Flight Officers (NFO), technical observers, Naval Flight Surgeons (NFS), Aerospace Physiologists (AP), Aerospace Experimental Psychologists (AEP), Naval Aerospace Optometrists, Naval Aircrew (NAC) members, and other persons ordered to duty involving flying.

Class III: Members in aviation related duty not requiring them to personally be airborne including Air Traffic Controllers (ATCs), Unmanned Aerial Vehicle (UAV) operators, flight deck, and flight line personnel.

Certain non-designated personnel, including civilians, may also be assigned to participate in duties involving flight: Such personnel include selected passengers, project specialists, and technical observers. The specific requirements are addressed in the OPNAVINST 3710.7 series (Naval Air Training and Operating Procedures Standardization (NATOPS) General Flight and Operating Instructions) and shall be used to evaluate these personnel.

NOTE: Many squadrons have non-designated personnel that flight as a TFO, intelligence operator, or other duty that requires regular flying. If these individuals fly on a regular basis, receive flight pay, or have duties assigned to them while flying, they must meet Class II Naval Aircrew standards and physical submission requirements.

1.5 CLASS I STANDARDS

Aeronautically Adapted (AA): Designated personnel must remain Aeronautically Adapted. If member is Not Aeronautically Adapted (NAA), the psychiatric block should be checked abnormal with appropriate comments. Refer to MMD 15-67 for disposition of aviators found NAA.

Valsalva: Must demonstrate ability to equalize middle ear pressure.

Self Balance Test (SBT): Must pass.

Dental: Must have no defect which would react adversely to changes in barometric pressure (Type I or II dental examination required).

Laboratory Testing:

Urinalysis: Must have normal values. Specifically must be negative for glucose, albumin/protein, and blood.

Syphilis Serology: Must be negative or have documented curative treatment or other explanation for positive test.

HIV Testing: Must be negative or documented that it was drawn.

Hematocrit: Males 40-52%. Females 37-47%. If values are outside of this range refer to ARWG for proper evaluation and disposition.

Lipid Panel: There are no standards at this time. This does not mean the flight surgeon can ignore these values. Individuals with hyperlipidemia should have documented evaluation, counseling, and treatment in accordance with standard medical guidelines.

Fecal occult blood testing: Required annually at age 50 and older or if personal or family history dictates. Digital rectal exam is not required.

EKG: Disqualifying conditions are:

(1) Ventricular tachycardia defined as three consecutive ventricular beats at a rate greater than 99 beats per minute.

(2) Wolff-Parkinson-White syndrome or other pre-excitation syndrome predisposing to paroxysmal arrhythmias.

(3) All atrioventricular and intraventricular conduction disturbances, regardless of symptoms.

(4) Other EKG abnormalities consistent with disease or pathology and not explained by normal variation.

Blood Pressure: Systolic must be less than 140 mm Hg and Diastolic less than 90 mm Hg. If a single measurement is outside of this range, a 3-5 day blood pressure check must be completed. The average of the 3-5 day blood pressure check must fall within the above standards.

Pulse Rate: Shall be determined in conjunction with blood pressure. If the resting pulse is less than 45 or over 100, an electrocardiogram shall be obtained. A pulse rate of less than 45 or

greater than 100 in the absence of a significant cardiac history and medical or electrocardiographic findings shall not in itself be considered disqualifying.

Distant Visual Acuity:

1. Service Group 1, 20/100 or better each eye uncorrected, corrected to 20/20 or better each eye.
2. Service Group 2, 20/200 or better each eye uncorrected, corrected to 20/20 or better each eye.
3. Service Group 3, 20/400 or better each eye uncorrected, corrected to 20/20 or better each eye.

The first time distant visual acuity of less than 20/20 is noted a manifest refraction (not cycloplegic) shall be performed recording the correction required for the aviator to see 20/20 in each eye (all letters correct on the 20/20 line).

Refractive limits: Refractions will be recorded using minus cylinder notation. There are no limits. However, anisometropia may not exceed 3.50 diopters in any meridian.

Near Visual Acuity: Must correct to 20/20 in each eye using either the AFVT or standard 16 Snellen or Sloan notation nearpoint card. Bifocals are approved.

Oculomotor Balance:

- (1) No uncorrected esophoria more than 6.0 prism diopters.
- (2) No uncorrected exophoria more than 6.0 prism diopters.
- (3) No uncorrected hyperphoria more than 1.50 prism diopters.
- (4) Tropia or Diplopia in any direction of gaze is disqualifying

Field of Vision: Must be full.

Color Vision: Must pass any one of the following two tests:

- (1) FALANT or Optec 900: 9/9 correct on the first trial or, if any are missed, at least 16.18 correct on the combined second and third trials.
- (2) PIP color plates (Any red-green screening test with at least 14 diagnostic plates; see manufacturer instructions for scoring information), randomly administered under Macbeth lamp: scoring plates 2-15, at least 12/14 correct.

Depth Perception: Only stereopsis is tested. Must pass any one of the following three tests:

- (1) AFVT: at least A – D with no misses.
- (2) Stereo booklet (Titmus Fly or Randot): 40 arc second circles.
- (3) Verhoeff: 8/8 correct on the first trial or, if any are missed, 16/16 correct on the combined second and third trials.

Intraocular Pressure: Must be less than or equal to 22 mm Hg. A difference of 5 mm Hg or greater between eyes requires an ophthalmology consult, but if no pathology noted, is not considered disqualifying.

Hearing (ANSI 1969):

Frequency (Hz)	Better Ear (dB)	Worse Ear (dB)
500	35	35
1000	30	50
2000	30	50

1.6 STUDENT NAVAL AVIATOR APPLICANT (SNA) STANDARDS

All applicants for pilot training must meet Class I standards except as follows:

Visual Acuity, Distant and Near: Uncorrected visual acuity must not be less than 20/40 each eye, correctable to 20/20 each eye using a **Goodlite** eye chart. Vision testing procedures shall comply with those outlined on the Aerospace Reference and Waiver Guide Physical Exams section.

Refractive Limits: If uncorrected distant visual acuity is less than 20/20 either eye, a manifest refraction must be recorded for the correction required to attain 20/20. If the candidate's distant visual acuity is 20/20, a manifest refraction is not required. Total myopia may not be greater than -1.50 diopters in any meridian, total hyperopia no greater than +3.00 diopters in any meridian, or astigmatism no greater than -1.00 diopters. The astigmatic correction shall be reported in minus cylinder format.

Cycloplegic Refraction: This is required for all candidates to determine the degree of spherical ametropia. The refraction should be performed to maximum plus correction to obtain best visual acuity. Due to the effect of lens aberrations with pupil dilation, visual acuity or astigmatic correction, which might disqualify the candidate, should be disregarded if the candidate meets the standards for visual acuity and astigmatism with manifest refraction. A cycloplegic refraction should be performed at least 30 minutes after instillation of 2gtts (5 minutes apart) 1% cyclopentolate.

Slit Lamp Examination: Required, and must demonstrate no pathology.

Dilated Fundus Examination: Required, and must demonstrate no pathology.

Hearing (ANSI 1969) :

Frequency (Hz)	Decibel (dB)
500	25
1000	25
2000	25
3000	45
4000	55

Anthropometrics and Height/Weight: Refer to NAVAIRINST 3710.9C and [OPNAVINST 3710.37A](#).

Reading Aloud Test. Required if speech impediment exists or history of speech therapy or facial fracture. See MMD paragraph 15-95 or Physical Exam section of ARWG for text.

1.7 DESIGNATED NAVAL FLIGHT OFFICER (NFO) STANDARDS

Must meet Class I standards, except as follows:

Visual Acuity, Distant and Near: No limit uncorrected. Must correct to 20/20 each eye.

Refraction: No limits.

Oculomotor Balance: No obvious heterotropia or symptomatic heterophoria (NOHOSH).

Depth Perception: Not required.

1.8 APPLICANT NAVAL FLIGHT OFFICER STANDARDS

Must meet Class I standards, except as follows:

Visual Acuity, Distant and Near: No limit uncorrected. Must correct to 20/20 each eye. If the AFVT or Goodlite letters are used, a score of 7/10 on the 20/20 line constitutes meeting visual acuity requirements.

Refractive Limits: Manifest refraction must not exceed +/-8.00 diopters in any meridian (sum of sphere and cylinder) with astigmatism no greater than -3.00 diopters. Refraction must be recorded in minus cylinder format. Must have no more than 3.50 diopters of anisometropia.

Oculomotor Balance: NOHOSH.

Depth Perception: Not Required.

Slit Lamp Examination: Required, and must demonstrate no pathology.

Hearing: Same as SNA Applicant.

Anthropometrics and Height/Weight: Refer to NAVAIRINST 3710.9C and [OPNAVINST 3710.37A](#).

Reading Aloud Test: Required if speech impediment exists or history of speech therapy or facial fracture. See MMD paragraph 15-95 or Physical Exam section of ARWG for text.

1.9 DESIGNATED NAVAL FLIGHT SURGEON, NAVAL AEROSPACE PHYSIOLOGIST, NAVAL AEROSPACE EXPERIMENTAL PSYCHOLOGIST, AND NAVAL AEROSPACE OPTOMETRIST STANDARDS

Must meet Class I standards, except as follows:

Visual Acuity, Distant and Near. No limit uncorrected. Must correct to 20/20 each eye. If the AFVT or Goodlite letters are used, a score of 7/10 on the 20/20 line constitutes meeting visual acuity requirements.

Refractive Limits. No limits.

Oculomotor Balance. NOHOSH.

Depth Perception. Not Required.

1.10 APPLICANT NAVAL FLIGHT SURGEONS, APPLICANT NAVAL AVIATION PHYSIOLOGISTS, APPLICANT NAVAL AVIATION EXPERIMENTAL PSYCHOLOGISTS, AND APPLICANT NAVAL AEROSPACE OPTOMETRISTS STANDARDS

All applicants must meet SNA Applicant standards except as follows:

Visual Acuity, Distant and Near: No limit uncorrected. Must correct to 20/20 each eye. If the AFVT or Goodlite letters are used, a score of 7/10 on the 20/20 line constitutes meeting visual acuity requirements.

Refraction. No limits.

1.11 DESIGNATED AND APPLICANT NAVAL AIRCREW (FIXED WING) STANDARDS

Must meet Class I standards except as follows.

Visual Acuity, Distant and Near: No limit uncorrected. Must correct to 20/20 each eye. If the AFVT or Goodlite letters are used, a score of 7/10 on the 20/20 line constitutes meeting visual acuity requirements.

Refraction: No limits.

Oculomotor Balance: NOHOSH.

Depth Perception: Not required.

Hearing: Designated must meet Class I standards. Applicants must meet SNA Applicant standards.

1.12 DESIGNATED AND APPLICANT NAVAL AIRCREW (ROTARY WING) STANDARDS

Must meet Class I standards, except as follows:

Visual Acuity, Distant and Near. Must be uncorrected 20/100 or better, each eye corrected to 20/20. If the AFVT or Goodlite letters are used, a score of 7/10 on the 20/20 line constitutes meeting visual acuity requirements.

Refraction. No limits.

Oculomotor Balance. NOHOSH.

Hearing. Designated must meet Class I standards. Applicants must meet SNA applicant standards.

1.13 DESIGNATED AND APPLICANT AEROSPACE PHYSIOLOGY TECHNICIAN STANDARDS

Must meet Class I standards except as follows:

Visual Acuity, Distant and Near. No limit uncorrected. Must correct to 20/20 each eye. If the AFVT or Goodlite letters are used, a score of 7/10 on the 20/20 line constitutes meeting visual acuity requirements.

Refraction: No limits.

Depth Perception: Not required.

Color Vision: Not required.

Hearing: Designated must meet Class I standards. Applicants must meet SNA applicant standards.

Age: Applicants must be less than 32 years of age.

Sinus X-rays: Applicants must submit sinus films to NAVOPMEDINST Code 342 with initial physical examination.

1.14 CLASS III PERSONNEL NON-DISQUALIFYING CONDITIONS

Class III personnel must meet standards for aviation personnel, but within those limitations, the following conditions are not considered disqualifying:

- (1) Hematocrit between 38.0 and 39.9 percent in males or between 35.0 and 36.9 percent in females, if asymptomatic.
- (2) Seasonal allergic rhinitis unless requiring regular use of antihistamines or medications causing drowsiness.
- (3) Nasal or paranasal polyps
- (4) Chronic sinus disease, unless symptomatic and requiring frequent treatment.
- (5) Lack of valsalva or inability to equalize middle ear pressure.
- (6) Congenital or acquired chest wall deformities, unless expected to interfere with general duties.
- (7) Mild chronic obstructive pulmonary disease.
- (8) Pneumothorax once resolved.
- (9) Surgical resection of lung parenchyma if normal function remains.
- (10) Paroxysmal supraventricular dysrhythmias, after normal cardiology evaluation, unless symptomatic.
- (11) Cholecystectomy, once resolved.
- (12) Hyperuricemia.
- (13) Renal stone once passed or in stable position.
- (14) Internal derangements of the knee unless restricted from general duty.
- (15) Recurrently dislocating shoulder.
- (16) Scoliosis, unless symptomatic or progressive. Must meet general standards.
- (17) Kyphosis, unless symptomatic or progressive. Must meet general standards.
- (18) Fracture or dislocation of cervical spine.
- (19) Cervical fusion.
- (20) Thoracolumbar fractures.
- (21) History of craniotomy.
- (22) History of decompression sickness.
- (23) Anthropometric standards do not apply.
- (24) No limits on resting pulse if asymptomatic.

1.15 ATC-MILITARY AND DEPARTMENT OF THE NAVY CIVILIANS, DESIGNATE AND APPLICANT STANDARDS

Military must meet the standards in Chapter 15, Section III (Physical Standards); civilians shall be examined in military MTFs, by a naval flight surgeon, and must meet the general requirements for Civil Service employment as outlined in the Office of Personnel Management, Individual Occupational Requirements for GS-2152: Air Traffic Control Series. Both groups have the following additional requirements:

Phorias: NOHOSH.

Depth Perception: Not required.

Slit Lamp Examination: Required for applicants only. Must demonstrate no pathology.

Intraocular Pressure: Must meet Class I standards.

Color Vision: Must meet Class I standards.

Hearing: Applicants must meet SNA applicant standards. Designated must meet Class I standards.

Reading Aloud Test: The “Banana Oil” test is required for all applicants and other personnel as clinically indicated.

Department of the Navy Civilian ATCs:

- A. There are no specific height, weight, or body fat requirements.
- B. When a civilian who has been ill in excess of 30 days returns to work, a formal flight surgeon’s evaluation shall be performed prior to returning to ATC duties. NAVMED 6410/2 shall be used to communicate clearance for ATC duties to the commanding officer.

1.16 DESIGNATED AND APPLICANT UNMANNED AERIAL VEHICLE OPERATOR STANDARDS (INTERNAL PILOT, EXTERNAL PILOT, PAYLOAD OPERATOR)

Officers who maintain their aviation designators (pilot or NFO) must continue to meet the appropriate standards of their designation. USMC non-aviation designated officers or Navy officers no longer qualified for their previous aviation designator shall meet same standards as external operators. **All unmanned aerial vehicle operators must meet same standards as ATCs, except:**

Phorias: Must meet Class I standards.

Depth Perception: Must meet Class I standards. Those who fail will be restricted to payload operator or internal pilot only.

1.17 CRITICAL FLIGHT DECK PERSONNEL STANDARDS (DIRECTOR, SPOTTER, CHECKER, NON-PILOT LANDING SAFETY OFFICER AND HELICOPTER CONTROL OFFICER, AND ANY OTHER PERSONNEL SPECIFIED BY THE UNIT COMMANDING OFFICER)

Frequency of screening is annual. Waivers of physical standards are determined locally by the senior medical department representative and commanding officer. No BUMED or NAVPERSCOM submission or endorsement is required. **Must meet the standards in Chapter 15, Section III (Physical Standards), except as follows:**

Visual Acuity, Distant and Near: No limits uncorrected. Must correct to 20/20. If the AFVT or Goodlite letters are used, a score of 7/10 on the 20/20 line constitutes meeting visual acuity requirements.

Field of Vision: Must have full field of vision.

Depth Perception: Must meet Class I standards.

Color Vision: Must meet Class I standards.

1.18 NON-CRITICAL FLIGHT DECK PERSONNEL STANDARDS

This paragraph includes all personnel not defined as critical. Frequency of screening is annual. Waivers of physical standards are determined locally by the senior medical department representative and commanding officer. No BUMED or NAVPERSCOM submission or endorsement is required. **Must meet the standards in Chapter 15, Section III (Physical Standards) except as follows:**

Visual Acuity, Distant and Near: No limits uncorrected. Must correct to 20/40 or better in one eye, 20/30 or better in the other.

NOTE: Because of the safety concerns inherent in performing duties in the vicinity of turning aircraft, flight line workers should meet the same standards as their flight deck counterparts.

1.19 PERSONNEL WHO MAINTAIN AVIATOR NIGHT VISION SYSTEMS STANDARDS

Personnel, specifically those aircrew survival equipment men (USN PR or USMC MOS 6060) and aviation electrician's mates (USN AE or USMC MOS 64xx), assigned to duty involving maintenance of night vision systems, or selected for training in such maintenance, shall be examined annually to determine visual standards qualifications. Record results in the member's health record. **Waivers are not considered. Standards are as follows:**

Distant Visual Acuity: Must correct to 20/20 or better in each eye and correction must be worn. If the AFVT or Goodlite letters are used, a score of 7/10 on the 20/20 line constitutes meeting visual acuity requirements.

Near Visual Acuity: Must correct to 20/20.

Depth Perception: Not required.

Color Vision: Must meet Class I standards.

Oculomotor Balance: NOHOSH.

1.20 SELECTED PASSENGERS, PROJECT SPECIALISTS, AND OTHER PERSONNEL

Refer to OPNAVINST 3710.7. When ordered to duty involving flying for which special requirements have not been prescribed, personnel shall, prior to engaging in such duties, be examined to determine their physical qualification for aerial flights, an entry made in their Health Record, and a NAVMED 6410/2 issued if qualified. The examination shall relate primarily to the circulatory system, musculoskeletal system, equilibrium, neuropsychiatric stability, and patency of the eustachian tubes, with such additional consideration as the individual's specific flying duties may indicate. The examiner shall attempt to determine not only the individual's physical qualification to fly a particular aircraft or mission, but also the physical qualification to undergo all required physical and physiological training associated with flight duty. **No individual shall be found fit to fly unless fit to undergo the training required in OPNAVINST 3710.7 series, for the aircraft and/or mission.**

Visual Acuity, Distant and Near: No limits uncorrected. Must correct to 20/50 or better in one eye.

1.21 NAVAL AVIATION WATER SURVIVAL TRAINING INSTRUCTORS (NAWSTI) AND RESCUE SWIMMER SCHOOL TRAINING PROGRAMS STANDARDS

Applicants, designated and instructor rescue swimmers must meet the general standards outlined in MMD Chapter 15, Section III. In addition, the following standards apply:

Visual Acuity, Distant and Near:

(1) **Applicant Surface Rescue Swimmer.** No worse than 20/100 uncorrected in either eye. Must correct to 20/20 each eye.

(2) **Designated Surface Rescue Swimmer.** No worse than 20/200 uncorrected in either eye. Must correct to 20/20 each eye.

(3) **Naval Aviation Water Survival Training Program Instructor.** No limits uncorrected. Must correct to 20/20 in the better eye, no less than 20/40 in the worse eye.

(4) **All categories.** If the AFVT or Goodlite letters are used, a score of 7/10 on the 20/20 line constitutes meeting visual acuity requirements.

Psychiatric: Because of the rigors of the high risk training and duties they will be performing, the psychological fitness of applicants must be carefully appraised by the examining physician. The objective is to elicit evidence of tendencies which militate against assignment to these critical duties. Among these are below average intelligence, lack of motivation, unhealthy motivation, history of personal ineffectiveness, difficulties in interpersonal relations, a history of irrational behavior or irresponsibility, lack of adaptability, or documented personality disorders.

Any examinee diagnosed by a psychiatrist or clinical psychologist as suffering from depression, psychosis, manic-depression, paranoia, severe neurosis, severe borderline personality, or schizophrenia will be recommended for disqualification at the time of initial examination.

Those personnel with minor psychiatric disorders such as acute situational stress reactions must be evaluated by the local medical officer in conjunction with a formal psychiatric evaluation when necessary. Those cases which resolve completely, quickly and without significant psychotherapy can be found fit for continued duty. Those cases in which confusion exists, review by the TYCOM force medical officer for fleet personnel or BUMED, M3F1 for shore-based personnel. Any consideration for return to duty in these cases must address the issue of whether the service member, in the opinion of the medical officer and the member's commanding officer, can successfully return to the specific stresses and environment of surface rescue swimmer duty.

1.22 APPLICANT CHECKLIST

	SNA	SNFO	SNFS/SNAP SNAEP	AC (Rotary Wing)	AC F/W	ATC	APT	UAV
CXR	At accession or <3yr old			<3yr	<3yr	<3yr	<3yr	<3yr
Dental	Type I or II and Class I or 2							
Labs	ALL LABS ARE REQUIRED WITHIN 90 DAYS OF PHYSICAL DATE							
Urine	Occult blood, Protein and Glucose by dipstick, Specific gravity							
Serology	RPR							
Chems	Cholesterol, HDL, LDL, Triglyceride, Fasting Blood Sugar							
Other Labs	HCT, HIV, Sickle Cell, G6PD							
HCT	Males: 40-52 Females: 37-47							
EKG	MUST BE DONE WITHIN 12 MONTHS OF PHYSICAL DATE							
Anthropometrics	Must meet OPNAVINST 3710.37A guidelines							
WEIGHT (See HT-WT charts)	Must meet Navy and Marine Corps weight and body fat standards. Weight cannot be <103 lbs or >245 lbs.					NAVY STD	NAVY STD	NAVY STD
BP (Sitting)	<140/90	<140/90	<140/90	<140/90	<140/90	<140/90	<140/90	<140/90
Pulse (Sitting)	<100, >45	<100, >45	<100, >45	<100, >45	<100, >45	<100, >45	<100, >45	<100, >45
DVA uncorr w/ corr	≤20/40-0 20/20-0	No Limit 20/20	No Limit 20/20	≤20/100 20/20	SEE SPECIAL*	No Limit 20/20	No Limit 20/20	No Limit 20/20
NVA uncorr w/ corr	20/40 20/20	None 20/20	None 20/20	≤20/100 20/20	None 20/20	None 20/20	None 20/20	None 20/20
SLEX	Required							
Field of vision	Full	Full	Full	Full	Full	Full	Full	Full
REFRACTION Total Ref error astigmatism anisometropia	cyclo/manifest +3.00/-1.50 +/-1.00 3.50	manifest +/-8.00 +/-3.00 3.50	No Limit on refractive error. Record on exam					
Phoria	Eso ≤6, Exo ≤6 Hyper ≤1.5	NOHOSH	SAME AS SNA	NOHOSH				SAME AS SNA
Color	PIP MUST PASS 12/14, ISHIHARA MUST PASS 12/14 ON 16 PLATE TEST, OR FALANT MUST PASS9/9 or 16/18						NOT REQUIRED	Required
Depth	AFVT A-D Verhoeff 8/8 RANDOT or Titmus to ≤40 sec of arc	DEPTH PERCEPTION TESTING IS NOT REQUIRED	SAME AS SNA	SAME AS SNA	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	SAME AS SNA
IOP	≤ 22 mm Hg and must be no more than 4 mm Hg difference between eyes							
Audiogram	ALL APPLICANTS MUST MEET SNA HEARING STANDARDS 500HZ 25db 1000 HZ 25db 2000 HZ 25db 3000 HZ 45db 4000 HZ 55db							
Special	Cycloplegic must show correction to 20/20	Passing 7/10 on 20/20 line is considered 20/20 for Class 2 and Class 3 applicants Enlisted Naval Aircrew (NAC) >20/100 shall be PQ for fixed wing only.				Reading Aloud Test Required	Submit sinus x-rays	
Fleet Accession	Physical exam must be within 12 months							
NFO to Pilot transition	Must meet SNA standards Physical exam must be within 12 months unless specified otherwise in announcement							

1.23 DESIGNATED CHECKLIST

Item	SG1	SG II	SG III	NFO/NFS NAP/NAEP	A/C ROTARY WING USN/USMC	A/C FIXED WING USN/USMC	APT	ATC	UAV
DVA (SEE NOTE)	20/100 OR BETTER CORR TO 20/20-0	20/200 OR BETTER CORR TO 20/20-0	20/400 OR BETTER CORR TO 20/20-0	NO LIMIT CORR TO 20/20	20/100 OR BETTER CORR TO 20/20	NO LIMIT CORR TO 20/20	NO LIMIT CORR TO 20/20	NO LIMIT CORR TO 20/20	NO LIMIT CORR TO 20/20
NVA	NO LIMIT PROVIDED CORRECTABLE TO 20/20. MUST CARRY CORRECTION IF WORSE THAN 20/40.								
REF ERROR	NO LIMIT ON REFRACTION. PERFORM MANIFEST ON DVA >20/20								
PHORIAS	6ESO 6EXO 1.5HYPER			NO OBVIOUS HETEROTROPIA OR SYMPTOMATIC HETEROPHORIA (NOHOSH)					SAME AS SG1
DEPTH PERECPTI ON	MUST PASS ONE OF: AFVT A-D, VERHOEFF 8/8 OR 16/16, RANDOT AND TITMUS ≤40 SEC OF ARC			NOT REQUIRED	SAME AS SG1	NOT REQUIRED	NOT REQUIRED	NOT REQUIRED	SAME AS SG1
COLOR VISION	PIP 12/14, ISHIHARA 12/14 ON 14 PLATE TEST, FALANT 9/9 OR 16/18						NOT REQUIRED	SAME AS SG1	SAME AS SG1
IOP	Must be ≤ 22mmhg and no more than 4 difference between eyes. Perform on all examinations								
ECG	Required Every 5 years at ages 25, 30, 35, 40 till age 50 then annually on all aviation duty physical exams. SEE SPECIAL ON NASA APPLICANTS								
URINE	<u>EVERY FIVE YEARS:</u> OCCULT BLOOD, PROTEIN, AND GLUCOSE BY DIPSTICK								
BLOOD TESTS	<u>ANNUALLY:</u> HIV <u>EVERY FIVE YEARS:</u> HCT, CHOLESTEROL, HDL, LDL, TRIGLYCERIDES, FASTING BLOOD SUGAR, RPR								
CXR	REQUIRED ONLY WHEN CLINICALLY INDICATED (SEE SPECIAL ON NASA APPLICANTS)								
B/P	SITTING ONLY REQUIRED. MUST BE LESS THAN 140/90								
PULSE	MUST BE <100 AND >45, IF <45 DOCUMENT APPROPRIATE CARDIO RESPONSE TO EXERCISE								
AUDIO	FREQ BETTER EAR WORSE EAR 500HZ 35DB 35DB 1000HZ 30DB 50DB 2000HZ 30DB 50DB								
SPECIAL	<u>Interservice Transfer:</u> Physical exams must be less than one year old, and must be sent to BUMED M3F1 for commissioning endorsement before aviation determination can be made. <u>NFO to Pilot transition program:</u> Refer to SNA standards <u>NASA Applicants:</u> Applicants for Astronaut must meet SG1 standards and have DVA of 20/100 or better. Mission specialist applicants must meet SG1 standards with DVA of 20/200 or better. Long form physical examination is required with all required labs, ECG, CXR, and manifest refraction. Submission of SF 88, SF 93, and JSC 465 (NASA Form) Supplemental Medical Hx, and ECG tracing required. Physical exam must be within timeframe noted by NAVADMIN msg which announces the program.								
NOTE	DVA of 20/20 in Class 1 personnel is 20/20 with zero misses on 20/20 line. DVA of 20/20 in Class 2 and 3 personnel is considered 20/20 with up to 3 misses on 20/20 line (7/10). All aviation personnel must wear their corrective lenses if needed. If uncorrected DVA is worse than 20/100, they must carry an extra pair.								